

COLORECTAL CANCER

EARLY DETECTION SAVES LIVES - GET SCREENED



Each year, more than
2,600
people are diagnosed
with colorectal cancer
in Wisconsin.

Colorectal cancer is
PREVENTABLE

when pre-cancerous
growths are found
early and removed.

WE CAN DECREASE COLORECTAL CANCER IN WISCONSIN BY:



Maintaining an
active lifestyle and
a healthy weight



Eliminating alcohol
and tobacco
consumption



Encouraging
healthy and
balanced diets



Receiving
recommended
cancer screenings

Most people should **start colorectal cancer screenings by age 45**, or sooner if they are at high risk based on family history or other factors.*

Some colorectal cancers do not have symptoms. **Screening is the best way to detect cancer early.**

Understand your personal and family history to know if early screening and certain tests are right for you.*


Ways to screen for colorectal cancer:

Stool-based tests



- At home
- Lower cost
- Every 1-3 years

Visual-exam tests



- In clinic
- Bowel prep needed
- Every 5-10 years

*Scan for infographic references
and more resources.



EL CÁNCER COLORRECTAL

LA DETECCIÓN TEMPRANA SALVA VIDAS –
HÁGASE EL EXAMEN



Cada año, más de
2.600
personas son
diagnosticadas con el
cáncer colorrectal.

El cáncer colorrectal es
PREVENIBLE

cuando se encuentran
y se extirpan
los crecimientos
pre-cancerosos.

PODEMOS DISMINUIR EL CÁNCER COLORRECTAL EN WISCONSIN AL:



Mantener un estilo
de vida activo y
peso saludable



Eliminar el
consumo de
alcohol y tabaco



Seguir una dieta
saludable y
balanceada



Realizarse los
exámenes de cáncer
recomendados

La mayoría de las personas **deben empezar a hacerse las pruebas de detección para el cáncer colorrectal a los 45 años** o antes si corren un alto riesgo por sus antecedentes familiares u otros factores.*

Algunos cánceres colorrectales no tienen síntomas. **Realizar una prueba de detección es la mejor manera para detectar el cáncer a tiempo.**

Infórmese sobre sus antecedentes personales y familiares para saber si la detección temprana y ciertos estudios son adecuados para usted.*

Formas de detectar el cáncer colorrectal:

Pruebas de heces



- En casa
- Un costo menor
- Cada 1 a 3 años

Exámenes visuales



- En la clínica
- Se requieren preparativos intestinales
- Cada 5 a 10 años

*Escanee para ver referencias
y más recursos.

